Plant Science, 90 (1993) 239–240
Elsevier Scientific Publishers Ireland Ltd.

Contents

Volume 90 (1993)

PHYSIOLOGY AND BIOCHEMISTRY

The catalytic aspects of glucose oxidase in the red colour shift of *Carthamus tinctorius* capitula
by K. Saito (Sapporo, Japan) 1–9

Cytokinin affects nitrate reductase expression through the modulation of polyadenylation of the nitrate reductase mRNA transcript
by L. Suty, T. Moureaux, M.-T. Leydecker and B.T. de la Serve (Dijon, Versailles and Montpellier, France) 11–19

The in vitro effects of ATP and protein phosphorylation on the activity of ferredoxin:$NADP^+$ oxidoreductase from spinach chloroplasts
by M. Hodges and M. Miginiac-Maslow (Orsay, France) 21–29

Dissipation of the electrochemical proton gradient in phospholipase-induced degradation of plant mitochondria and microsomes
by E. Braidot, A. Vianello, E. Petrussa and F. Macrì (Udine, Italy) 31–39

GENETICS AND MOLECULAR BIOLOGY

Production of transgenic maize plants by direct DNA uptake into embryogenic protoplasts
by M.V. Golovkin, M. Ábrahám, S. Mórocz, S. Bottka, A. Fehér and D. Dudits (Szeged, Hungary) 41–52

CELL AND TISSUE STUDIES IN VITRO

Selection for downy mildew resistance from the regenerants of pearl millet
by K.C. Nagarathna, S.A. Shetty, G. Harinarayana and H. Shekar Shetty (Mysore, India) 53–61

High frequency plant regeneration in *Heliconia psittacorum* L.f.
by M.J. Nathan, P.P. Kumar and C.-J. Goh (Singapore, Republic of Singapore) 63–71

Plant regeneration from seed-derived embryogenic callus and cell suspension cultures of bahiagrass (*Paspalum notatum*)
by R. Akashi, A. Hashimoto and T. Adachi (Miyazaki, Japan) 73–80

High frequency callus formation and regeneration of fertile plants from haploid cell suspensions derived from anther culture in wheat (*Triticum aestivum* L.)
by G.Y. He, E. Korbuly and B. Barnabás (Martonvásár, Hungary) 81–87

Somaclonal variation in plants regenerated from callus culture of hybrid aspen (*Populus alba* L. × *P. grandidentata* Michx.)
by S.H. Son, H.K. Moon and R.B. Hall (Ames, IA; Suwon, Republic of Korea) 89–94

Evidence for a mitochondrial sub-genome containing radish *atpA* in a *Brassica napus* cybrid
by T. Sakai and J. Imamura (Yokohama, Japan) 95–103

Placental pollination in *Lilium longiflorum* Thunb.
by J. Janson (Wageningen, The Netherlands) 105–115

Book Review 117

PHYSIOLOGY AND BIOCHEMISTRY

Tentoxin effects on variable fluorescence and P515 electrochromic absorbance changes in tentoxin-sensitive and -resistant plant species
by S.O. Duke (Stoneville, MS) 119–126

Development of a cell-free translation system from *Cucumis melo*: preparation, optimization and evaluation of sensitivity to some translational inhibitors
by M.A. Rojo, F.J. Arias, J.M. Ferreras, R. Iglesias, R. Muñoz and T. Girbes (Valladolid, Spain) 127–134

Is vacuole the richest store of IP_3-mobilizable calcium in plant cells?
by H. Canut, A. Carrasco, M. Rossignol and R. Ranjeva (Toulouse, France) 135–143
Distribution of amino acids in bran, embryo and milled endosperm and shifts in storage protein subunits of in vitro-selected and lysine-enhanced mutant and wild type rice
by F.T. Sharpe and G.W. Schaeffer (Beltsville, MD) 145–154

GENETICS AND MOLECULAR BIOLOGY
DNA sequence of Nodulin-45 from *Lupinus angustifolius*
by S.J. Rice, M.R. Grant, P.H.S. Reynolds and K.J.F. Farnden (Dunedin and Palmerston North, New Zealand) 155–166
Polymorphic proteins in rice seed embryo revealed by two-dimensional gel electrophoresis and their application for subspecies identification
by H. Saruyama and N. Shinbashi (Hokkaido, Japan) 167–173

CELL AND TISSUE STUDIES IN VITRO
Rapid in vitro propagation of the cauliflower
by A. Kumar, V.A. Kumar and J. Kumar (Ranichauri, India) 175–178
Cell membrane stability and biochemical response of cultured cells of groundnut under polyethylene glycol-induced water stress
by B. Venkateswarlu and K. Ramesh (Hyderabad, India) 179–185
Somatic embryogenesis and plant regeneration from immature seed-derived calli of rugosa rose (*Rosa rugosa* Thunb.)
by H. Kunitake, H. Imamizo and M. Mii (Chiba, Japan) 187–194
Influence of 2,4-D, IAA, and duration of callus induction in anther cultures of spring wheat
by S.T. Ball, H-P. Zhou and C.F. Konzak (Ames, IA; St. Louis, MO; Pullman, WA) 195–200
In vitro adventitious shoot regeneration from leaves of *Prunus* spp.
by V. Escalettes and F. Dosba (Villenave d'Ornon, France) 201–209
Regeneration from intact and sectioned immature embryos of barley (*Hordeum vulgare* L.): the scutellum exhibits an apico-basal gradient of embryogenic capacity
by T.J. Golds, J. Babczinsky and H.-U. Koop (Munich, Germany) 211–218
Recovery of exine from mature pollens and spores
by N.M. Tarlyn, V.R. Franceschi, J.D. Everard and F.A. Loewus (Pullman, WA) 219–224
Genetic instability of a progeny from a somatic hybrid between tomato (*Lycopersicon esculentum*) and *L. peruvianum*
by Y. Sakata and S. Monma (Ano, Japan) 225–232

Subject Index Volume 90 (1993) 233–235
Author Index Volume 90 (1993) 237
Contents Volume 90 (1993) 239–240